




BRIEF INFORMATION

BLADE FUSES

- OEM quality in accordance with ISO, SAE, JASO and ROHS requirements
- Nylon housing with extended voltage rating up to 58 VDC
- Compact packaging design for efficient transportation, storage and showcase space
- Easy to use
- Complete product range
- Assortment kits which include extra pieces of most commonly used amp ratings

PRODUCT FEATURES

Blade fuses are primarily used in modern automotive electrical systems. The various fuse types include:

1. The large-sized MAXI blade fuse for the high-current applications (up to max. 80 A).
2. The very common Standard version (up to max. 40 A)
3. The small-sized MINI blade fuse for overload protection (up to max. 35 A)
4. The even smaller low-profile MINI fuse (up to max. 35 A)

Two packaging versions are available: Blister pack for the retail market and the yellow bulk packaging box.



Retail packaging



Bulk packaging

Note: The characteristics, specifications and availability of the service are subject to change without prior notice


PRODUCT RANGE

Product image / Dimensions	Part No.	Description	Content
MINI LP fuses (low profile)  Fast Acting	Technical data: Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: JASO D612 / ISO 8820-9 / ROHS		
	358129003	MINI LP fuse, boxed, 2A: gray	Quantity: 200 pieces
	358129013	MINI LP fuse, boxed, 3A: violet	Quantity: 200 pieces
	358129023	MINI LP fuse, boxed, 4A: pink	Quantity: 200 pieces
	358129033	MINI LP fuse, boxed, 5A: beige	Quantity: 200 pieces
	358129043	MINI LP fuse, boxed, 7.5A: brown	Quantity: 200 pieces
	358129053	MINI LP fuse, boxed, 10A: red	Quantity: 200 pieces
	358129063	MINI LP fuse, boxed, 15A: blue	Quantity: 200 pieces
	358129073	MINI LP fuse, boxed, 20A: yellow	Quantity: 200 pieces
	358129083	MINI LP fuse, boxed, 25A: white	Quantity: 200 pieces
	358129093	MINI LP fuse, boxed, 30A: green	Quantity: 200 pieces
MINI fuses  Fast Acting	Technical data: Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J2077 / JASO D612 / ISO 8820-3 / ROHS		
	358129103	MINI fuse, boxed, 2A: gray	Quantity: 200 pieces
	358129113	MINI fuse, boxed, 3A: violet	Quantity: 200 pieces
	358129123	MINI fuse, boxed, 4A: pink	Quantity: 200 pieces
	358129133	MINI fuse, boxed, 5A: beige	Quantity: 200 pieces
	358129143	MINI fuse, boxed, 7.5A: brown	Quantity: 200 pieces
	358129153	MINI fuse, boxed, 10A: red	Quantity: 200 pieces
	358129163	MINI fuse, boxed, 15A: blue	Quantity: 200 pieces
	358129173	MINI fuse, boxed, 20A: yellow	Quantity: 200 pieces
	358129183	MINI fuse, boxed, 25A: white	Quantity: 200 pieces
	358129193	MINI fuse, boxed, 30A: green	Quantity: 200 pieces
	358129203	MINI fuse, boxed, 35A: dark green	Quantity: 200 pieces
STANDARD fuses  Fast Acting	Technical data: Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J1284 / JASOD612 / ISO 8820-3 / ROHS		
	358129213	STANDARD fuse, boxed, 1A: black	Quantity: 100 pieces
	358129223	STANDARD fuse, boxed, 2A: gray	Quantity: 100 pieces
	358129233	STANDARD fuse, boxed, 3A: violet	Quantity: 100 pieces
	358129243	STANDARD fuse, boxed, 4A: pink	Quantity: 100 pieces
	358129253	STANDARD fuse, boxed, 5A: beige	Quantity: 100 pieces
	358129263	STANDARD fuse, boxed, 7.5A: brown	Quantity: 100 pieces
	358129273	STANDARD fuse, boxed, 10A: red	Quantity: 100 pieces
	358129283	STANDARD fuse, boxed, 15A: blue	Quantity: 100 pieces
	358129293	STANDARD fuse, boxed, 20A: yellow	Quantity: 100 pieces
	358129303	STANDARD fuse, boxed, 25A: white	Quantity: 100 pieces
	358129313	STANDARD fuse, boxed, 30A: green	Quantity: 100 pieces
	358129323	STANDARD fuse, boxed, 35A: dark green	Quantity: 100 pieces
	358129333	STANDARD fuse, boxed, 40A: orange	Quantity: 100 pieces
MAXI fuses  Slow-blow	Technical data: Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J1888 / JASO D612 / ISO 8820-3 / ROHS		
	358129343	MAXI fuse, boxed, 20A: yellow	Quantity: 20 pieces
	358129353	MAXI fuse, boxed, 30A: green	Quantity: 20 pieces
	358129363	MAXI fuse, boxed, 40A: orange	Quantity: 20 pieces
	358129373	MAXI fuse, boxed, 50A: red	Quantity: 20 pieces
	358129383	MAXI fuse, boxed, 60A: blue	Quantity: 20 pieces
	358129393	MAXI fuse, boxed, 70A: brown	Quantity: 20 pieces
	358129403	MAXI fuse, boxed, 80A: white	Quantity: 20 pieces

PRODUCT RANGE

Product image / Dimensions	Part No.	Description	Content
MINI LP fuses Low profile 	358129002	MINI LP fuse, blister pack, 2A: grey	Quantity: 10 pieces
	358129012	MINI LP fuse, blister pack, 3A: violet	Quantity: 10 pieces
	358129022	MINI LP fuse, blister pack, 4A: pink	Quantity: 10 pieces
	358129032	MINI LP fuse, blister pack, 5A: beige	Quantity: 10 pieces
	358129042	MINI LP fuse, blister pack, 7.5A: brown	Quantity: 10 pieces
	358129052	MINI LP fuse, blister pack, 10A: red	Quantity: 10 pieces
	358129062	MINI LP fuse, blister pack, 15A: blue	Quantity: 10 pieces
	358129072	MINI LP fuse, blister pack, 20A: yellow	Quantity: 10 pieces
	358129082	MINI LP fuse, blister pack, 25A: white	Quantity: 10 pieces
	358129092	MINI LP fuse, blister pack, 30A: green	Quantity: 10 pieces
	358129941	Assortment of fuses, includes: 1 piece of each fuse:: 5A, 7.5A, 25A, 30A 2 pieces of each fuse:: 10A, 15A, 20A	Quantity: 10 pieces
MINI fuse 	358129102	MINI fuse, blister pack, 2A: grey	Quantity: 10 pieces
	358129112	MINI fuse, blister pack, 3A: violet	Quantity: 10 pieces
	358129122	MINI fuse, blister pack, 4A: pink	Quantity: 10 pieces
	358129132	MINI fuse, blister pack, 5A: beige	Quantity: 10 pieces
	358129142	MINI fuse, blister pack, 7.5A: brown	Quantity: 10 pieces
	358129152	MINI fuse, blister pack, 10A: red	Quantity: 10 pieces
	358129162	MINI fuse, blister pack, 15A: blue	Quantity: 10 pieces
	358129172	MINI fuse, blister pack, 20A: yellow	Quantity: 10 pieces
	358129182	MINI fuse, blister pack, 25A: white	Quantity: 10 pieces
	358129192	MINI fuse, blister pack, 30A: green	Quantity: 10 pieces
	358129202	MINI fuse, blister pack, 35A: dark green	Quantity: 10 pieces
	358129951	Assortment of fuses, includes: 1 piece of each fuse:: 5A, 7.5A, 25A, 30A 2 pieces of each fuse:: 10A, 15A, 20A	Quantity: 10 pieces
STANDARD fuse 	358129212	STANDARD fuse, blister pack, 1A: black	Quantity: 10 pieces
	358129222	STANDARD fuse, blister pack, 2A: grey	Quantity: 10 pieces
	358129232	STANDARD fuse, blister pack, 3A: violet	Quantity: 10 pieces
	358129242	STANDARD fuse, blister pack, 4A: pink	Quantity: 10 pieces
	358129252	STANDARD fuse, blister pack, 5A: beige	Quantity: 10 pieces
	358129262	STANDARD fuse, blister pack, 7.5A: brown	Quantity: 10 pieces
	358129272	STANDARD fuse, blister pack, 10A: red	Quantity: 10 pieces
	358129282	STANDARD fuse, blister pack, 15A: blue	Quantity: 10 pieces
	358129292	STANDARD fuse, blister pack, 20A: yellow	Quantity: 10 pieces
	358129302	STANDARD fuse, blister pack, 25A: white	Quantity: 10 pieces
	358129312	STANDARD fuse, blister pack, 30A: green	Quantity: 10 pieces
	358129322	STANDARD fuse, blister pack, 35A: dark green	Quantity: 10 pieces
	358129332	STANDARD fuse, blister pack, 40A: orange	Quantity: 10 pieces
	358129981	Assortment of fuses, includes: 1 piece of each fuse:: 5A, 7.5A, 25A, 30A 2 pieces of each fuse:: 10A, 15A, 20A	Quantity: 10 pieces
MAXI fuse 	358129341	MAXI fuse, blister pack, 20A: yellow	Quantity: 1 piece
	358129351	MAXI fuse, blister pack, 30A: green	Quantity: 1 piece
	358129361	MAXI fuse, blister pack, 40A: orange	Quantity: 1 piece
	358129371	MAXI fuse, blister pack, 50A: red	Quantity: 1 piece
	358129381	MAXI fuse, blister pack, 60A: blue	Quantity: 1 piece
	358129391	MAXI fuse, blister pack, 70A: brown	Quantity: 1 piece
	358129401	MAXI fuse, blister pack, 80A: white	Quantity: 1 piece

PRODUCT RANGE / ACCESSORIES

Product image / Dimensions	Part No.	Description
MINI Fuse assortment 	Assortment of fast acting fuses. It contains: 20 pieces of each of the following fuses: 5A, 7.5A, 10A, 15A, 20A, 25A, 30A Technical Data Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J2077 / JASO D612 / ISO 8820-3 / ROHS 358129961 MINI Fuse assortment Quantity: 140 pieces	
STANDARD Fuse assortment 	Assortment of fast acting fuses. It contains: 10 pieces of each of the following fuses: 5A, 7.5A, 25A, 30A 20 pieces of each of the following fuses: 10A, 15A, 20A Technical Data Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J1284 / JASOD612 / ISO 8820-3 / ROHS 358129991 STANDARD fuse assortment Quantity: 100 pieces	
MAXI Fuse assortment 	Assortment of slow-blow fuses. It contains: 5 pieces of each of the following fuses: 70A, 80A 10 pieces of each of the following fuses: 20A, 30A, 40A, 50A, 60A Technical Data Voltage Rating: 58 VCD or less Interrupting Rating: 1000A @ 58 VCD Operating Temperature Range: -40° C a + 125° C Complies: SAE J1888 / JASO D612 / ISO 8820-3 / ROHS 358129971 MAXI fuse assortment Quantity: 60 pieces	
Fuse holder MAXI  <i>Fuse not included</i>	Splash proof For MAXI fuses 8 AWG wire 32 cm in length 358129911 MAXI Fuse holder Quantity: 1 piece 358129902 MAXI Fuse holder Quantity: 5 pieces	
Fuse holder STANDARD 	Splash proof For STANDARD fuses 12 AWG wire 32 cm in length 358129931 STANDARD Fuse holder Quantity: 1 piece 358129921 STANDARD Fuse holder Quantity: 10 pieces	
Fuse Box  <i>Fuses not included</i>	Bottom tap connections Splashproof fuse box, snap-fit clear plastic cover 0-Ring sealed. Max load: 20a per circuit. Fuses not included 005993072 Fuse box - 4 terminals 005993092 Fuse box - 6 terminals 005993112 Fuse box - 8 terminals	
Fuse Box  <i>Fuses not included</i>	Side connections Splashproof Fuse Box, snap-Fit Clear Plastic Cover 0-ring Sealed. Max Load: 20A per circuit, Fuses not included 005993082 Fuse box - 4 terminals, lateral connection 005993102 Fuse box - 6 terminals, lateral connection 005993122 Fuse box - 8 terminals, lateral connection	
Fuse box  <i>Fuses not included</i>	16 Gang fuse box - Bottom tab connections Splashproof Fuse Box, snap-fit clear plastic cover, 0-ring Sealed. Removable mounting feet Boxes can be snapped together for 32, 48 fuses etc. Max Load: 20A per circuit. Fuses not included 358115871 Fuse Box - 16 terminals, lateral connection	