



BRIEF INFORMATION HELLA VALUEFIT Master 1400 LED

- → The new technological generation of the popular, rectangular master work lamp series for converting to LED
- → With corrosion-free plastic housing in slim design without edges
- → Available in two different bracket versions
- → Straight-forward and convenient mounting thanks to square hole in bracket
- → Robust and vibration-reducing mounting

PRODUCT FEATURES

The world-renowned "Master" work lamp series has been a synonym for quality, reliability and universal applicability for many years. The product specifications have been optimised for the new generation of rectangular HELLA VALUEFIT Master work lamps. Thus, with the lighting upgrade from halogen to LED technology, a slimmer appearance with a depth of 50.3 mm was also possible with otherwise almost identical dimensions.

The light output of the close-range lights is up to 1,350 lumen. The black housing of the work lamps is made of corrosion-free plastic. As a result, the work lamps are optimally protected against corrosion and can withstand even the toughest conditions. The plastic housing also lowers the weight and provides better vibration resistance.

This HELLA VALUEFIT work lamp has been approved for installation on vehicles that must comply with ADR (GGVSEB) specifications.

LED work lamps are completely maintenance-free and offer a significantly longer lifetime than the bulb of a halogen headlamp.

HELLA VALUEFIT products are safe and reliable and enable a cost-effective changeover to LED technology.




TECHNICAL DETAILS




Technical data


Rated voltage	Multi voltage		
Operating voltage	12 V / 24 V		
Current consumption	1.4 A (12 V)/0.8 A (24 V)		
Power consumption	Max. 18 W (1,350 lm)		
Light function	Close-range		
Light source	LED		
Colour temperature	6,500 K		
Material	Corrosion-free plastic housing		
Weight	450 g		
Temperature range	-40°C to +50°C		
Degree of protection	IP 6K7, IP 6K9K		
Type approval	ECE-R10, UKCA, ADR/GGVSEB		
Mounting	Upright or pendant		
Connection	500 mm cable with open end		


Dimensional sketch






With long mounting bracket





With short mounting bracket

LIGHT DISTRIBUTION



PROGRAM OVERVIEW

Product Image	Description	Illumination	Part Number	VPE*	
	With long mounting bracket Close-range illumination With short mounting bracket		1GA 357 060-001	1	
			1GA 357 877-001	1	
Recommended accessories (not included)					
	Fuse, 12 V, 3 A		8JS 711 683-821	1	
	Fuse, 24 V, 2 A		8JS 711 683-841	1	

* Packaging unit

Тір

The new HELLA VALUEFIT LED work lamps are particularly suitable for replacing the following HELLA halogen work lamps with identical bracket dimensions:

HELLA VALUEFIT MASTER 1GA 357 060-001: 005 060-001 Bracket (long) 128 890-00...

HELLA VALUEFIT MASTER 1GA 357 877-001: 006 876-001 Bracket (short) 993 341-60...