



BRIEF INFORMATION

Warning buzzer

- Optimum acoustic properties for generating the buzzing sound
- Penetrating warning sound
- Compact design

PRODUCT FEATURES

- Effective sound
- Guaranteed brand quality
- Practice-proven service life

Special features

- Piezo technology variant available
- Electrical connection via a flat plug - 6.3 mm
- Design and connection according to ISO 7588-1
- Variants also available with brackets
- CE-certified



www.hella.com/horns

TECHNICAL DETAILS

Technical specifications

Dimensions




30 x 30 x
33.4 / 41 mm
(L x W x H)

Volume



70 / 85 / 93 dB (A)

Audio frequency



325 / 500 / 3400 Hz

Voltage



12 V / 24 V

Target groups

Bus



Truck



Agricultural machinery










Transporter



Saloon



PROGRAM OVERVIEW

Part Number	Rated voltage (V)	Frequency (Hz)	Sound level dB (A)	Connector diagram	Remarks
3SB 003 985-047	12	500	≥ 70 (1 m dist.)		2 flat plug connections 6.3 mm with bracket
3SB 003 985-061	24	500	≥ 70 (1 m dist.)		2 flat plug connections 6.3 mm with bracket
3SB 004 438-161	12	325	≥ 85 (0.17 m dist.)		Set contains a cable assembly, bracket, connection material and fastening screw 2 flat plug connections - 6.3 mm
3SB 004 438-137	12	3400	93 (0.3 m dist.)		Piezo technology 3 flat plug connections 6.3 mm without bracket
3SB 004 438-141	12	325	≥ 85 (0.17 m dist.)		3 flat plug connections 6.3 mm with bracket
3SB 004 438-177	12	325	≥ 85 (0.17 m dist.)		3 flat plug connections 6.3 mm without bracket
3SB 004 438-155	24	325	≥ 85 (0.17 m dist.)		5 flat plug connections 6.3 mm without bracket

HELLA KGaA Hueck & Co.

Rixbecker Straße 75
59552 Lippstadt, Germany
Tel.: +49 2941 38-0
Fax: +49 2941 38-7133
Internet: www.hella.com

© HELLA KGaA Hueck & Co., Lippstadt, J00473/05.12
Subject to technical and price modifications