



Renault Scenic | Grand Scenic - Replacing the cabin filter

Data sheet	
Manufacturer	Renault
Vehicle model	Scenic III Grand Scenic III
Year of manufacture	2009 - 2016
Symptoms	Replacing the cabin filter

Important safety note

Renault Scenic | Grand Scenic - Replacing the cabin filter

Replacing the cabin filter is a little complex. It is located in the left-hand area of the passenger footwell. In order to access it, the glove compartment (Fig. 1) has to be removed.

To do this, please proceed as follows:

- Lever out the cover to the right of the glove compartment (Fig. 2)
- Remove the strip above the glove compartment (Fig.3)
- Remove panelling on the left below the glove compartment (Fig. 4)
- Remove fastening screws on the glove compartment
- Take out glove compartment
- Remove the hose of the air duct (Fig. 5)

- After removing the cover, the filter is visible and freely accessible >(Fig. 6)



Glove compartment




Lever out the cover to the right of the glove compartment




Remove the strip above the glove compartment



Remove the panelling on the left below the glove compartment



Remove the air duct hose



After removing the cover, the filter is visible and freely accessible

Reprinting, distribution, reproduction, exploitation in any form or disclosure of the contents of this document, even in part, is prohibited without our express, written approval; indication of the document source is also required. The schematic illustrations, pictures and descriptions serve only for the purposes of explanation and representation of the instructions and cannot be used as a basis for installation or assembly work. All rights reserved.