

# Opel Astra — Substituição das lâmpadas na porta da bagageira | HELLA

**OpelAstra J Sports TourerSubstituição das lâmpadas na porta da bagageiraGeral:**Cuidado: perigo de queimaduras; as lâmpadas ainda podem estar quentes na sequência de um funcionamento recente.Nunca tocar diretamente com as mãos na lâmpada.**Substituição das lâmpadas na porta da bagageira (Figura 1)**Para substituir as lâmpadas, deve proceder-se da seguinte forma:**Desligar a ignição e o interruptor das luzesAbrir a porta da bagageira****Remover as coberturas de plástico (Figura 2)****Posição 1: Luz traseira de nevoeiro****Posição 2: Luz de marcha-atrás****Posição 1: desapertar o suporte da lâmpada, rodando no sentido contrário ao dos ponteiros do relógio, e retirar (Figura 3)****Substituir a lâmpada com defeito por uma nova****Posicionar o suporte da lâmpada e fixar, rodando no sentido dos ponteiros do relógio****Posição 2: desapertar o suporte da lâmpada, rodando no sentido contrário ao dos ponteiros do relógio, e retirar****Substituir a lâmpada com defeito por uma nova****Posicionar o suporte da lâmpada e fixar, rodando no sentido dos ponteiros do relógio****Testar o funcionamento****Montar as coberturas de plástico****Figura 1****Figura 2****Figura 3**

## Astra J Sports Tourer

### Replacing the lamps in the tailgate

Caution: risk of burns. The lamps may still have residual heat from previous operation.

Never touch the glass bulbs of the lamps with bare hands.

Replacing the lamps in the tailgate (figure 1)

To replace the lamps, proceed as follows:

- Switch off the ignition and light switch
- Open the tailgate
- Remove plastic covers (figure 2)

Position 1: rear fog light

## Position 2: back-up light

- Position 1: Loosen the lamp holder in a counterclockwise direction and remove it (figure 3)
- Replace the defective lamp with a new one
- Insert the lamp holder and fix it in position in a clockwise direction
- Position 2: Loosen the lamp holder in a counterclockwise direction and remove it
- Replace the defective lamp with a new one
- Insert the lamp holder and fix it in position in a clockwise direction
- Check function
- Install plastic covers



Figure 1



Figure 2



Figure 3