

Informação do produto, kit de maxilas de travão | HELLA

8DB 355 005-111/R13018DB 355 002-751/H96708DB 355 004-921/R12308DB 355 004-911/R1225Diferentes modelosO design da alavanca do travão de mão da maxila de travão difere do equipamento OE. Isso significa que o elemento de fixação para o cabo do travão de mão tem um formato diferente (ver Figuras). Esta alteração na situação de montagem não tem qualquer influência sobre a montagem e o funcionamento do cabo do travão de mão. Ambos os artigos podem ser utilizados no âmbito de uma reparação. FabricanteReferênciaCitroën1611451080Citroën/Peugeot4241L7Citroën/Peugeot424227Citroën/PeugeotE172210 FigurasComparação de produtosDesign do artigo HELLA (Figura 1)Design do artigo OE (Figura 2)

8DB 355 002-751 / H9670

8DB 355 004-921 / R1230

8DB 355 004-911 / R1225

Different types

The design of the handbrake lever on the brake shoe is different in comparison with the first version, or rather the attachment element for the handbrake cable is configured differently as can be seen in the pictures. This amended installation situation has no effect on the installation and function of the handbrake cable. Both articles can be used within the framework of repair activities.



Hersteller	Referenz
Citroen	1611451080
Citroen/Peugeot	4241L7
Citroen/Peugeot	424227
Citroen/Peugeot	E172210

Figures

Product comparison

- HELLA article design (picture 1)
- OE article design (picture 2)

2

